

The background of the entire page is a photograph of a Durisol noise barrier system. It features a series of vertical metal posts supporting large, rectangular panels. The panels are a deep green color and have a grid-like structure. The system is installed in a field with tall, dry grass in the foreground and a line of trees in the background under a cloudy sky. The overall aesthetic is modern and industrial.

Durisol
NOISE BARRIER SYSTEMS

DURISOL.COM

SOUNDSTOP READY-FIT PANELS PRODUCT GUIDE

FULLY FABRICATED FRAME-AND-PANEL ASSEMBLIES, ADAPTABLE
TO ANY GROUND-MOUNTED NOISE BARRIER SYSTEM

VISIBILITY

IMPACT STRENGTH

GUARANTEED PERFORMANCE

SELF-CLEANING

LIGHTWEIGHT

GRAFFITI RESISTANT

Soundstop Ready-Fit Panels are fully fabricated frame-and-panel assemblies designed for use with concrete columns, pilasters or structural steel H-posts. The frame is made from structural steel or aluminum and can be finished to match surrounding materials. The transparent portion of the Ready-Fit panel is Soundstop noise barrier sheet.

The assembly can be adapted to post spacings up to 24' and in panel heights of 4', 6' and 8'. The panel is installed in the same drop-in manner as the conventional panels within the noise barrier.

Visibility

Allows businesses and scenic vistas to remain visible to the travelling public

Impact Strength

Able to withstand the impact of stones and other debris thrown up by vehicle tires or even hurricane force winds

Self-Cleaning

Hard non-porous surface stays clean with rain exposure

Graffiti Resistant

Graffiti is removed easily and quickly involving only a spray-on application of recommended graffiti remover followed by a power washing

TYPICAL APPLICATIONS

- Roads and highways
- Commercial and residential developments
- Railways
- Airports

Guaranteed Performance

Industry leading 30-year warranty against yellowing despite decades of exposure to sunlight and other elements (ASTM D 1003 & D 4812 test methods)

SOUND REDUCTION/WEIGHT

Sheet Thickness	ATSM E90 STC Rating
	dB
15mm (19/32")	32
20mm (25/32")	34
25mm (1")	36



MIAMI, FL - SOUNDSTOP READY-FIT PANELS



NEW BRUNSWICK, NJ - READY-FIT PANELS

SPECIFICATIONS

- Typical panel weight of 6psf
- Panel heights of 4', 6' and 8'
- Non-standard panel heights available
- Fits post spacing up to 24'
- Available in colourless and seven standard colours; other colours available upon request
- Bird-deterrent markings available

Framing Options

Designers can easily adapt Soundstop to almost any design.


Compatibility

Easily inserted where needed in a standard sound wall. Compatible with all steel and/or concrete H-posts and/or H-columns.

Design Flexibility

Designers can get the benefits of a tall wall while avoiding the corresponding visual impact.

CONCEPT DRAWING



IMPORTANT NOTICE

This information and all technical and other advice are based on Rohm's present knowledge and experience. However, Rohm assumes no liability for such information or advice, including the extent to which such information or advice may relate to third party intellectual property rights. Rohm reserves the right to make any changes to information or advice at any time, without prior or subsequent notice. ROHM DISCLAIMS ALL REPRESENTATIONS AND WARRANTIES, WHETHER EXPRESS OR IMPLIED, AND SHALL HAVE NO LIABILITY FOR, MERCHANTABILITY OF THE PRODUCT OR ITS FITNESS FOR A PARTICULAR PURPOSE (EVEN IF ROHM IS AWARE OF SUCH PURPOSE), OR OTHERWISE. ROHM SHALL NOT BE RESPONSIBLE FOR CONSEQUENTIAL, INDIRECT OR INCIDENTAL DAMAGES (INCLUDING LOSS OF PROFITS) OF ANY KIND. It is the customer's

sole responsibility to arrange for inspection and testing of all products by qualified experts. Reference to trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used.

RÖHM

Drawings and product details are for information and/or illustrative purposes only, and may vary. Please contact your local Durisol representative for the most current product information.

Durisol
NOISE BARRIER SYSTEMS

Durisol® is the market leader in the noise barrier wall industry. We manufacture and supply a series of unique panel and post wall systems – including our Durisol® precast sound absorption panels and transparent Soundstop sheets, as well as narrow footprint retaining walls and fire-rated barriers. Our first noise barriers were installed in Canada in 1977 and in the US in 1986 and are all still in service today. With over 40+ million square feet of wall installed to date, Durisol® noise barriers stop the noise of industrial warehouses, utility enclosure sites and urban infrastructure of all kinds right across North America.

289-975-4402 | [DURISOL.COM](https://www.durisol.com)